

9900381

HHE UNIVERD SHAVES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME;

Pioneer Hi-Bred International, Inc.

DECEMP, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, R CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSE, OR USING IT IN QUEING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY ACTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

CORN, FIELD

'PH3P0'

In Testimony Marcest, I have hereunto set my hand and caused the seal of the Plant Bariety Protection Office to be affixed at the City of Washington, D.C. this sixth day of November, in the year two thousand one.

Dac M. Julearl

Commissioner Plant Variety Protection Office Saricultural Macketina Service

Secrit rulture

| REPRODUCE LOCALLY. Include form number and date on all reproduction | | | | | | | | |
|--|--|----------------------------------|---|-------------|---|----------------|-------------------------------------|--|
| | PARTMENT OF AGRICULTUR TURAL MARKETING SERVIO | | · · · · · · · · · · · · · · · · · · · | The 1974 | following statements are made | in accorda | ance with the Privacy Act of | |
| SCIENCE AND TECHNOLOGY | DIVISION - PLANT VARIETY | PROTECTION | N OFFICE | | S.C. 552a) and the Paperwork Re | duction Ad | et (PRA) of 1995. | |
| APPLICATION FOR PLAN (Instructions and information) | | | | certi | ication is required in order to ficate is to be issued (7 U.S.C. certificate is issued (7 U.S.C. 24 | 2421). Inf | | |
| 1. NAME OF OWNER | | | | 2. 1 | EMPORARY DESIGNATION OR EXPERIMENTAL NUMBER | 3. | VARIETY NAME | |
| Pioneer Hi-Bred | Internation | nal, 1 | inc. | | | | PH3P0 | |
| 4. ADDRESS (Street and No. or RFD No. | | nd Country) | | 5. 1 | ELEPHONE (include area code) | | FOR OFFICIAL USE ONLY | |
| 7301 NW 62 nd A | venue | | | , | 515/270-4051 | P\ | /PO NUMBER | |
| P.O. Box 85 | | | | | J15/2/0-10J1 | | # A N 'A 70 \$ | |
| Johnston, IA | 50131-0085 | | | 6. F | AX (Include area code) | | 9900381 | |
| | | | | | | - | LING DATE | |
| | | | | 1 | 515/253-2125 | | | |
| 7. IF THE OWNERNAMED IS NOT A "I OF ORGANIZATION (corporation | | | RPORATED, GIVE OF INCORPORATION) | 9. [| ATE OF INCORPORATON | | -1.1 | |
| association, etc.) Corporation | | IOW | 1 | May 6, 1926 | | | 8 6 47) | |
| 10. NAME AND ADDRESS OF OWNER RE | PRESENTATIVE(S) TO SER | VE IN THIS AF | PPLICATION (FIRST PER | SON LIS | TED WILL RECEIVE ALL PAPERS) | F | FILING & EXAMINATION | |
| Steven R. And | erson | | | | | E | FEES: 2457 OU | |
| | | elopme | ent | | | s | 91.00 | |
| Research and Product Development P.O. Box 85 | | | | | R | DATE SECOLO | | |
| Johnston, IA | 50131-0085 | | | | | C | CERTIFICATION FEE: | |
| • | | | | | | ½ | ,320.00 | |
| | | | | | | 14. CROF | DATE 9/28/01 | |
| 11. TELEPHONE (Include area code) | 12. FAX (Include area co | • | 13. E_MAIL | | | | KIND NAME (Common name) | |
| 515/270-4051 | 515/253-2 | 2125 | ANDER | <u>SON</u> | S@PHIBRED.COM | Corn | | |
| 15 GENUS AND SPECIES NAME OF CRO | P | | 16. FAMILY NAME | (Botanic | | | | |
| Zea Mays | | | Grami | near | J2M La € 3/12/2001 □ Yes ☑ No | | | |
| 18. CHECK APPROPRIATE BOX FOR EAC | H ATTACHMENT SUBMITTE | D (Follow ins | | 1 | | | | |
| a. 🛛 Exhibit A. Origin and Breed | | | | " | CERTIFIED SEED? See Section 83(a | | | |
| b. Exhibit B. Statement of Dis | | | | | YES (if "yes", answer items 20 | ⊠ NC |) (If "no", go to item 22) | |
| <u>=</u> | ription of the Variety <i>(Option</i> | al) | | 2 | and 21 below) | EED OF THIS | VADIETY DE LIMITED AS TO | |
| | Basis of the Owner's Owner | | | ' | 20. DOES THE OWNER SPECIFY THAT SEED OF THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS? | | | |
| f. Voucher Sample (2500 viab verification that tissue cult repository) | le untreated seeds or, for tu | ber propagate aintained in ai | nd varieties n approved public | | ☐ YES ☐ NO | | | |
| ⊠ | | | | | 21. IF "YES" TO ITEM 20, WHICH CLASSES OF PRODUCTION BEYOND BREEDER SEE | | | |
| g. | (\$2,450), made payable to " rce)) | rreasurer or t | ne United States" (Maii i | 10 | FOUNDATION REGISTER | D CEF | RTIFIED | |
| 22. HAS THE VARIETY (INCLUDING ANY VARIETY BEEN SOLD, DISPOSED OF | HARVESTED MATERIAL) OF TRANSFERRED, OR USED | R A HYBRID P IN THE U.S. (| RODUCED FROM THIS OR OTHER COUNTRIES | | I. IS THE VARIETY OR ANY COMPONEN | | | |
| X YES NO | | | | | ☐ YES ☒ NO | | | |
| IF YES, YOU MUST PROVIDE THE DAT EACH COUNTRY AND THE CIRCUMST | E OF FIRST SALE, DISPOSI ANCES. (Please use space | TION, TRANSI indicated on i | FER, OR USE FOR reverse) | | IF YES, PLEASE GIVE COUNTRY, DAT | E OF FILING | OR ISSUANCE AND ASSIGNED | |
| United States and Canada | Nov. 1. 1998 | | | | REFERENCE NUMBER. (Please use s | oace indicated | d on reverse.) | |
| | ple of basic seed of the vari | ety will be fur | nished with application | and will I | pe replenished upon request in accordance | e with such re | egulations as may be applicable, or | |
| | owner of this sexually reprod | luced or tuber | propagated plant varie | ty, and be | elieve(s) that the variety is new, distinct, u | niform, and st | able as required in | |
| Owner(s) is(are) informed that false re | presentation herein can jeop | ardize protec | tion and results in pena | | | | | |
| SIGNATURE OF OWNER | | | | SIGNA | TURE OF OWNER | | | |
| | | | | 1 | wer A Chaperso | <u> </u> | | |
| NAME (Please print or type) | | | | İ | (Please print or type) | | | |
| | | | | Ste | ven R. Anderson | | | |
| CAPACITY OR TITLE | | DATE | | CAPAC | ITY OR TITLE | | DATE | |
| | | | | Sen | ior Research | | lh. 00 4000 | |
| | | | | Ass | ociate | | July 29, 1999 | |

INSTRUCTIONS 9900381GENERAL: To be effectively filed with the Plant Variety protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed Exhibits A,B,C,E; (3) for a seed reproduced variety at least 2,500 viable untreated seeds, for a hybrid variety sy Irsdy 2,500 untreated seeds of each line necessary to reproduce the variety, or for tuber reproduced varieties verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in a approved public repository; (4) check drawn on a U.S. bank for \$2,450 (\$300 filing fee and \$2,150 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice.) Partial applications will be held in the PVPO for not more than 90 days, then returned to the applicant as unfiled. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 500, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a check payable to "Treasurer of the United States" in the amount of \$300 for issuance of the certificate. Certificates will be issued to owner, not licensee or agent.

> Plant Variety Protection Office Telephone: (301)504-5518 FAX: (301)504-5291

Homepage: http://www.ams.usda.gov/science/pvp.htm

ITEM

- (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method; 18a.
 - the details of subsequent stages of selection and multiplication; (2)
 - evidence of uniformity and stability; and
 - the type and frequency of variants during reproduction and multiplication and state how these variants may be identified.
- Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other 18b. varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
 - (1) identify these varieties and state all differences objectively;
 - (2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences; and
 - (3) submit, if helpful, seed and plant specimens of photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- Exhibit C forms are available from the PVPO for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely 18c. as possible to describe your variety.
- 18d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant disease resistance, etc.
- 18e. Section 52(5) of the Act required applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
- 19. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant may NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, applicant may change the choice. (See Regulations and Rules of Practice, Section 7.103).
- See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements. 22.
- 23. See Section 5.5 of the Act for instructions on claiming the benefit of an earlier filing date.
- CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)
- 23. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).

NOTES; It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. There is no charge for filling a change of address. The fee for filling a change of ownership or assignment or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of Regulations and Rules of Practice.)

To avoid conflict with other variety names in use, the applicant should check the variety names proposed by contacting: Seed Branch, AMS, USDA, Room 213, Building 306, Beltsville Agricultural Research Center--East, Beltsville, MD 20705. Telephone: (301) 504-8089.

Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instruction, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate of any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Officer, OIRM, AG Box 7630, Jamie L. Whitten Building, Washington, D.C. 20250. When replying, refer to OMB No. 0581-0055 and form number in your letter. Under the PRA of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA Office of Communications at (202) 720-2791. To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call (202) 720-7327 (voice) or (202) 720-1127 (TDD). USDA is an equal employment opportunity employer.

 \checkmark

Exhibit A. Origin and Breeding History

Pedigree: PHRE1/PHKM5)XB913122X

Pioneer Line PH3P0, Zea mays L., a dent corn inbred, was developed by Pioneer Hi-Bred International, Inc. from the single cross hybrid PHRE1 (Certificate No. 9300114) X PHJN5-PHKM5 (PVP Certificate No. 9400097) using the pedigree method of plant breeding. Varieties PHRE1 and PHKM5 are proprietary inbred lines of Pioneer Hi-Bred International, Inc. Selfing and selection were practiced within the segregating population from the above hybrid for 6 generations using pedigree selection. During line development, crosses were made to inbred testers for the purpose of estimating the line's combining ability. Yield trials were grown at Moorhead, Minnesota and Grand Forks, North Dakota as well as other Pioneer research locations. After initial testing, additional hybrid combinations have been evaluated and subsequent generations of the line have been grown and hand-pollinated with observations again made for uniformity.

Variety PH3P0 has shown uniformity and stability for all traits as described in Exhibit C - "Objective Description of Variety". It has been self-pollinated and ear-rowed 6 generations with careful attention paid to selection criteria and uniformity of plant type to assure genetic homozygousity and phenotypic stability. The line has been increased both by hand and in isolated fields with continued observations for uniformity and stability for a minimum of 5 generations during the final stages of inbred development and seed multiplication. Very high standards for genetic purity have been established morphologically using field observation's and electrophoretically using sound lab molecular marker methodology.

No variant traits have been observed or are expected in PH3P0.

The criteria used in the selection of PH3P0 were yield, both per se and in hybrid combinations; late season plant health, grain quality, stalk lodging resistance, and kernel size, especially important in production. Other selection criteria include: stalk strength, ability to germinate in adverse conditions; number of tillers, especially important in production because having numerous tillers increases hybrid production costs spent on detasseling; disease and insect resistance; pollen yield and tassel size.

Exhibit A: Developmental history for PH3P0

| Season/Year Pedigree Grown | Inbreeding Level of Pedigree Grown |
|-------------------------------|------------------------------------|
| MAY/1991 | F0 |
| OCT/1991 | F1 |
| MAY/1992 | F2 |
| MAY/1994 | F3 |
| OCT/1994 | F4 |
| OCT/1995 | F5 |
| MAY/1996 | F6 |
| OCT/1996 | F7 |
| MAY/1997 | F8 Bulk increase |

^{*}PH3P0 was selfed and ear-rowed from F2 through F8 generation.
#Uniformity and stability were established from F4 through F8 generation and beyond when seed supplies were increased.

Exhibit B. Novelty Statement

Variety PH3P0 mostly resembles Pioneer Hi-Bred International, Inc. proprietary inbred line PHRE1 (PVP Certificate No. 9300114). The data in Tables 1A and 1B are from paired comparisons collected primarily in Johnston and Ankeny, IA. The data in Table 2 are from paired comparisons at multiple locations grown primarily in the adapted growing area of PH3P0. The traits collectively show measurable differences between the two varieties.

Variety PH3P0 has narrower cob diameter (19.3 mm vs 21.9 mm) than PHRE1 (Table 1A, 1B).

Variety PH3P0 has narrower ear diameter (33.1 mm vs 36.5 mm) than PHRE1 (Table 1A, 1B).

Variety PH3P0 has less ear weight (52.2 g vs 84.0 g) than PHRE1 (Table 1A, 1B).

Variety PH3P0 has shorter husk length (19.3 cm vs 21.5 cm) than PHRE1 (Table 1A, 1B).

Variety PH3P0 has a higher grain moisture (MST) at harvest (20.1% vs 18.1%) than PHRE1 (Table 2).

Variety PH3P0 has a taller plant height (PLTHT) (188.7 cm vs 161.5 cm) than PHRE1 (Table 2).



A t-test was used to compare differences between means and the appropriate parameters have been included. Due to the way our historical data has been stored, it is difficult to obtain standard deviations for table 2.

Exhibit B Novelty Statement Tables

different locations in 1998. Locations had different planting dates. A t-test was used to compare differences between Table 1A. These data indicate differences between varieties PH3P0 and PHRE1. Data are from Johnston, lowa at 2 means. Five plants were measured at each location.

| Prob (2-tail) Pooled | 0.030 | 0.014 | 0.018 | 0.055 | 0.044 | 0.005 | 0.014 | 0.005 |
|--|----------------------------|---------------------------|------------------------|---------------------------|-------------------------|---------------------|---------------------------|-----------------------|
| Value ooled | -2.63 | -3.14 | -2.96 | -2.24 | -2.39 | -3.80 | -3.14 | -3.81 |
| DF t-Value Pooled Pooled | 8 | Φ. | ω | © | 80 | ω | 8 | ω |
| Mean Diff P | -2.0 | -3.2 | -3.6 | -3.2 | -24.4 | -39.2 | -1.6 | -2.8 |
| StdErr or-2 | 0.374 | 0.548 | 1.068 0.583 | 1.304 0.583 | 9.724 3.162 | 6.458 | 0.245 0.447 | 0.490 0.548 |
| StdErr or-1 | 0.663 0.374 | 0.860 0.548 | 1.068 | | 9.724 | 8.046 | 0.245 | 0.490 |
| StdDev liation-2 | 0.837 | 1.225 | 1.304 | 1.304 | 7.071 | 17.992 14.440 | 1.000 | 1.225 |
| Wean StdDevl StdDevl StdErr StdErr Mean -2 ation-1 lation-2 or-1 or-2 Diff | 1.483 | 1.924 | 2.387 | 2.915 | 21.744 7.071 | 17.992 | 0.548 | 1.095 |
| Mean -2 | 22.8 | 21.0 | 38.8 | 34.2 | 98.0 | 70.0 | 22.0 | 21.0 |
| Mean- | 20.8 | 17.8 | 35.2 | 31.0 | 73.6 | 30.8 | 20.4 | 18.2 |
| Counti Count Mean | 5 | S. | 2 | က | ß | ß | 5 | 2 |
| Count | 5 | 2 | သ | 2 | 2 | သ | ည | ഹ |
| varietys 2 | PHRE1 | PHRE1 | PHRE1 | PHRE1 | PHRE1 | PHRE1 | PHRE1 | PHRE1 |
| vanety⊱ va 1 | PH3P0 | PH3P0 | PH3P0 | PH3P0 | PH3P0 | PH3P0 | PH3P0 | PH3P0 |
| irait 7 | 20N 1998 cob diameter (mm) | 1998 cob diameter (mm) | 1998 ear diameter (mm) | 1998 ear diameter (mm) | 20N 1998 ear weight (g) | 1998 ear weight (g) | 20N 1998 husk length (cm) | 1998 husk length (cm) |
| Vear | 1998 c | 1998 c | 1998 e (r | 1998 e (r | 1998 e | 1998 e | 1998 h | 1998 h |
| station floc year | 20N | 92 | 20N | 92 | 20N | 92 | 20N | 92 |
| station | AD_ | F | AD | H, | AD AD | ᆽ | AD | 兲 |

Table 1B. Summary data from Johnston, lowa across environments in 1998.

| 0.001 | -3.77 | 48 | -2.2 | 0.373 | 0.448 | 1.179 | 1.418 | 21.5 | 19.3 | 10 | 10 | PHRE1 | PH3P0 | 1998 husk length (cm) | 1998 |
|--------------|---------|---------------|-------|-----------------------------------|------------|---------------------|----------|------|------------|-------|------------|-------------|-------------|---------------------------------|------|
| 0.00 | -2.91 | 18 | -31.8 | 5.768 | 9.289 | 29.374 18.239 9.289 | 29.374 | 84.0 | 52.2 | | 10 | PHRE1 | PH3P0 | 1998 ear weight (g) | 1998 |
| | -2.49 | 18 | | 0.860 | 1.059 | 2.718 | 3.348 | 36.5 | 33.1 | 10 | 10 | PHRE1 | PH3P0 | 1998 ear diameter (mm) PH3P0 | 1998 |
| | | 18 | | 0.433 | 0.716 | 1.370 | 2.263 | 21.9 | 19.3 | 10 | 10 | PHRE1 | PH3P0 | 1998 cob diameter (mm) PH3P0 PH | 1998 |
| Pooled | | | | | 1 | | | | | | | | | | |
| Pooled tail) | Pooled | Pooled Pooled | Ë | 2 iation-1 iation-2 Error-2 | Error- | iation-2 | iation-1 | 7 | - | -5 | 7 | 7 | - | | |
| Prob (2- | t-Value | 占 | Mean | PS S | PSC PSC | StdDev | StdDev | | ount Mean- | Count | Count Cour | <u>jety</u> | variety var | | year |

Exhibit B. Novelty Statement Tables

Table 2. These data indicate differences between varieties PH3P0 and PHRE1. Data are from multiple locations and years grown primarily in the adapted growing area.

Variety 1 = PH3P0 Variety 2 = PHRE1

| | T | | мѕт | PLT |
|-------|------|---|-------|--------|
| - | VAD. | | IVIOI | |
| | VAR | | | HT |
| YEAR | # | | ABS | ABS |
| | | | | СМ |
| | i | | | |
| 1996 | | 1 | 29.5 | 175.0 |
| | | 2 | 24.4 | 140.0 |
| | LOCS | | 5 | 2 |
| | PROB | | .007# | 0.258 |
| | | | | |
| 1997 | | 1 | 19.7 | 194.1 |
| | | 2 | 18.0 | 166.6 |
| | LOCS | | 21 | 20 |
| | PROB | | .001# | .000# |
| | | | | |
| 1998 | | 1 | 17.7 | 182.4 |
| | | 2 | 16.4 | 156.2 |
| | LOCS | | 17 | 12 |
| | PROB | | .006# | .000# |
| | | | | |
| TOTAL | | 1 | 20.1 | 188.7 |
| SUM | | | | |
| | | 2 | 18.1 | 161.5 |
| | LOCS | | 43 | 34 |
| | DIFF | | 1.9 | 27.432 |
| | PROB | | .000# | .000# |

9900381

United States Department of Agriculture, Agricultural Marketing Service Science Division, Plant Variety Protection Office National Agricultural Library Building, Room 500 Beltsville, MD 20705

Objective Description of Variety Corn (Zea mays L.)

| Name of Applicant (s) | | Variety Seed Source | Vari | ety Name or Temporary Designation |
|---------------------------|-----------------------------------|---------------------------------------|---------------------------|---------------------------------------|
| Pioneer Hi-Bred | International, Inc. | | | РНЗР0 |
| Address (Street & No | or RFD No., City, State, Zip Cod | e and Country | FOR OFFICIAL USE | |
| | enue, P.O. Box 85, | o and Country | | |
| | , , | | PVP0 Number | |
| Johnston, Iowa 5 | | | | |
| | | | | Right justify whole numbers by adding |
| Leading zeroes if neces | ssary. Completeness should be st | riven for to establish an adequate v | ariety description. Trait | s designated by an '*' are considered |
| | ate variety description and must | | | |
| | | lor code to describe all color choice | es: describe #25 and #20 | 6 in Comments section): |
| 01=Light Green | 06=Pale Yellow | 11=Pink | 16=Pale Purple | 21=Buff |
| 02=Medium Green | 07=Yellow | 12=Light Red | 17=Purple | 22=Tan |
| 03=Dark Green | 08=Yellow Orange | 13=Cherry Red | 18=Colorless | 23=Brown |
| 04=Very Dark Green | 09=Salmon | 14=Red | 19=White | 24=Bronze |
| 05=Green-Yellow | 10=Pink-Orange | 15=Red & White | 20=White Capped | 25=Variegated (Describe) |
| | | | | 26=Other (Describe) |
| STANDARD INBRED | CHOICES | | | |
| (Use the most similar (in | n background and maturity) of the | ese to make comparisons based on | grow-out trial data): | |
| Yellow Dent Families: | | Yellow Dent (Unrelated): | Sweet | Corn: |
| Family Members | | Co109, ND246, | C13, 1 | Iowa5125, P39, 2132 |
| B14 CM105, A | 532, B64, B68 | Oh7, T232, | | |
| B37 B37, B76, | H84 | W117, W153R, | Popcor | n: |
| B73 N192, A67 | 9, B73, NC268 | W18BN | | 33, 4722, HP301, HP7211 |
| | 02, Va35, A682 | | | |
| Oh43 A619, MS7 | 1, H99, Va26 | White Dent: | Pipecoi | m: |
| WF9 W64A, A5 | 54, A654, Pa91 | C166, H105, Ky228 | Mo15 | W, Mo16W, Mo24W |

Ceres/worddata/doug/96pvp

| EXHIBIT C: | PH3P0 describe intermediate types in Comments section): | | | Standa | rd Variety | / Name |
|--------------|--|---|-----------|---------------|----------------|--------------|
| | =Sweet 2=Dent 3=Flint 4=Flour 5=Pop 6=Ornamental | | | | :M105 | Hamo |
| | The Property of the Property o | | | <u> </u> | | ····· |
| | N WHERE DEVELOPED IN THE U.S.A.: | | | Standa | rd Seed | Source |
| _ | =Northwest 2=Northcentral 3=Northeast 4=Southeast 5=Sou -Southwest 7=Other | ithcentral | | E | AMES 19: | <u>315</u> |
| | ITY (In Region of Best Adaptability; show Heat Unit formula in | 'Comments' s | ection) | D 43/0 1 | | · T O |
| | HEAT UNITS | | | I | HEAT UN | IIS |
| <u>065</u> | 1,163.0 From emergence to 50% of plants in silk | | | | <u>1,201.0</u> | |
| <u>064</u> | 1,143.3 From emergence to 50% of plants in pollen | | | ; | <u>1,190.6</u> | |
| <u>003</u> | 0.090.3 From 10% to 90% pollen shed | | | 003 | <u>0,080.6</u> | |
| | From 50% silk to optimum edible quality | | | 075 | 4 000 4 | |
| <u>067</u> | 1,486.0 From 50% silk to harvest at 25% moisture | *************************************** | | <u>075</u> | <u>1,623.4</u> | |
| 4. PLANT | | Standard | Sample | 5 | Standard | Sample |
| | | Deviation | Size | | Deviation | Size |
| <u>192.0</u> | cm Plant Height (to tassel tip) | <u>25.15</u> | <u>04</u> | <u>179.4</u> | <u>13.72</u> | <u>05</u> |
| <u>064.0</u> | cm Ear Height (to base of top ear node) | <u>18.94</u> | <u>04</u> | <u>064.6</u> | <u>20.56</u> | <u>05</u> |
| | cm Length of Top Ear Internode | <u>00.70</u> | <u>03</u> | <u>015.2</u> | <u>02.07</u> | <u>05</u> |
| <u>0.0</u> | Average Number of Tillers | <u>00.07</u> | <u>05</u> | 0.0 | <u>00.03</u> | <u>05</u> |
| <u>1.0</u> | Average Number of Ears per Stalk | <u>00.00</u> | <u>05</u> | <u>1.0</u> | <u>00.00</u> | <u>05</u> |
| 4 | Anthocyanin of Brace Roots: 1=Absent 2=Faint 3=Moderate | 4=Dark | | 4 | _ | |
| 5. LEAF: | | Standard | Sample | 8 | Standard | Sample |
| | | Deviation | Size | | Deviation | Size |
| <u>09.1</u> | cm Width of Ear Node Leaf | <u>00.31</u> | <u>03</u> | <u>07.5</u> | <u>00.64</u> | <u>05</u> |
| <u>70.1</u> | cm Length of Ear Node Leaf | <u>06.91</u> | <u>03</u> | <u>75.8</u> | <u>03.92</u> | <u>05</u> |
| <u>05</u> | Number of leaves above top ear | <u>00.31</u> | <u>03</u> | <u>05</u> | 00.67 | <u>05</u> |
| <u>38</u> | Degrees Leaf Angle (measure from 2nd leaf above ear at anthesis to stalk above leaf) | <u>11.93</u> | <u>03</u> | <u>36</u> | <u>08.79</u> | <u>05</u> |
| <u>03</u> | Leaf Color (Munsell code) <u>5GY34</u> | | | 03 | <u>5G</u> \ | <u> </u> |
| <u>1</u> | Leaf Sheath Pubescence (Rate on scale from 1=none to 9=like | e peach fuzz) | | 1 | | |
| <u>6</u> | Marginal Waves (Rate on scale from 1=none to 9=many) | | | <u>6</u> | | |
| <u>6</u> | ongitudinal Creases (Rate on scale from 1=none to 9=many) | | | 7 | | |
| 6. TASSEI | <u>:</u> | Standard | Sample | l | Standard | • |
| | | Deviation | Size | | Deviation | Size |
| <u>02</u> | Number of Primary Lateral Branches | <u>00.31</u> | <u>03</u> | 04 | <u>01.00</u> | <u>05</u> |
| <u>11</u> | Branch Angle from Central Spike | <u>06.66</u> | <u>03</u> | <u>26</u> | <u>08.40</u> | <u>05</u> |
| <u>46.5</u> | cm Tassel Length (from top leaf collar to tassel tip) | <u>03.44</u> | <u>03</u> | <u>47.0</u> | <u>04.39</u> | <u>05</u> |
| <u>5</u> | Pollen Shed (rate on scale from 0=male sterile to 9=heavy she | d) | | <u>6</u> | | |
| <u>14</u> | Anther Color (Munsell code) 2.5R48 | | | <u>07</u> | <u>5Y</u> | <u>'94</u> |
| <u>01</u> | Glume Color (Munsell code) <u>5GY76</u> | | | <u>01</u> | <u>5G</u> ` | <u> 166</u> |
| 1 | Bar Glumes (Glume Bands): 1=Absent 2=Present | | | 1 | | |
| Application | Variety Data Page 1 | | | Standar | d Variety | Data |

PH3P0

Page 2

| Application | Variety Data | PH3P0 | Page 2 | | | Standa | rd Variet | y Data |
|-------------|---------------------|--|----------------------|--------------|-----------|----------------------|---------------|-------------|
| 7a. EAR | (Unhusked Data): | | | | | | | |
| <u>01</u> | Silk Color (3 days | after emergence) (Mun | sell code) | | 2.5GY88 | <u>07</u> | 2.5G\ | <u> 196</u> |
| <u>01</u> | Fresh Husk Color | (25 days after 50% silkii | ng) (Munsell code) | | 5GY78 | <u>02</u> | 5GY | 66 |
| <u>21</u> | Dry Husk Color (6 | 5 days after 50% silking |) (Munsell code) | | 2.5Y84 | 21 | 2.5Y8 | |
| <u>1</u> | Position of Ear at | Dry Husk Stage: 1= Upri | ight 2= Horizontal | 3= Pendant | <u> </u> | <u>3</u> | | |
| <u>6</u> | Husk Tightness (R | Rate of Scale from 1=ver | y loose to 9=very ti | ight) | | <u>6</u> | | |
| <u>2</u> | Husk Extension (a | t harvest): 1=Short (ears | s exposed) 2=Medi | um (<8 cm) | | <u>2</u> | | |
| | 3=Long (8-10 cm t | oeyond ear tip) 4=Very L | .ong (>10 cm) | | | | | |
| 7b. EAR | (Husked Ear Data): | | | Standard | Sample | Star | ndard | Sample |
| | | | | Deviation | Size | Dev | iation | Size |
| <u>12.3</u> | cm Ear Length | | | 02.22 | <u>04</u> | <u>14.8</u> (| 00.45 | <u>05</u> |
| <u>33.3</u> | mm Ear Diameter | at mid-point | | 02.06 | <u>04</u> | <u>39.4</u> 0 |)1.1 <u>4</u> | <u>05</u> |
| 062.0 | gm Ear Weight | | | <u>21.02</u> | <u>05</u> | 95.8 <u>0</u> | <u>)8.84</u> | <u>05</u> |
| <u>11</u> | Number of Kernel | Rows | | <u>01.89</u> | <u>04</u> | <u>13.8</u> <u>0</u> | 00.84 | <u>05</u> |
| <u>2</u> | Kernel Rows: 1=in | distinct 2=Distinct | | | | <u>2</u> | | |
| <u>2</u> | Row Alignment: 1= | Straight 2=Slightly Cun | ved 3=Spiral | | | 1 | | |
| <u>07.3</u> | cm Shank Length | | | <u>01.71</u> | <u>04</u> | 10.2 C | 2.28 | <u>05</u> |
| 2 | Ear Taper: 1=Sligh | nt 2= Average 3=Extrem | е | | | 2 | | |
| 8. KERNE | EL (Dried) | | | Standard | Sample | Standa | ard | Sample |
| | , | | | Deviation | Size | Deviati | ion | Size |
| 09.0 | mm Kernel Length | | | 00.82 | <u>04</u> | <u>10.0</u> 0 | 0.00 | <u>05</u> |
| 08.0 | mm Kernel Width | | | <u>00.00</u> | <u>04</u> | <u>08.2</u> <u>0</u> | 0.45 | <u>05</u> |
| <u>05.0</u> | mm Kernel Thickne | ss | | 00.00 | <u>04</u> | <u>04.0</u> 0 | 0.00 | <u>05</u> |
| <u>36.5</u> | % Round Kernels (| Shape Grade) | | <u>07.59</u> | <u>04</u> | <u>29.0</u> <u>1</u> | <u>1.66</u> | <u>05</u> |
| 1 | Aleurone Color Pati | tern: 1-Homozygous 2= | Segregating | | | <u>. 1</u> | | |
| <u>07</u> | Aluerone Color (Mu | unsell code) | | <u>1.2</u> | 5Y812 | <u>07</u> | 2.5Y8 | <u>314</u> |
| <u>07</u> | Hard Endosperm C | olor (Munsell code) | | <u>1.2</u> | 5Y714 | <u>07</u> | 2.5Y8 | <u>314</u> |
| <u>03</u> | Endosperm Type: | | | | | <u>3</u> | | |
| | 4=High Amylose | 2=Extra Sweet (sh2) 3= Starch 5=Waxy Starch B=Super Sweet (se) 9=h | 6=High Protein | | | | | |
| <u>23.8</u> | | Kernels (unsized sampl | e) | <u>01.26</u> | <u>04</u> | <u>24.40</u> 0 | <u>2.19</u> | <u>05</u> |
| 9. COB: | | | | Standard | Sample | St | andard | Sample |
| | | | | Deviation | Size | | eviation | Size |
| <u>18.8</u> | mm Cob Diameter a | at mid-point | | <u>01.50</u> | <u>04</u> | <u>24.8</u> (| 01.30 | <u>05</u> |
| <u>19</u> | Cob Color (Munsell | code) | <u>5Y91</u> | | | <u>14</u> | <u>10F</u> | <u>R46</u> |
| | | | | | | | | |

Application Variety Data

<u>5</u>

D. Ear and Kernel Rots

Page 3

Aspergillus Ear and Kernel Rot (Aspergillus flavus)

Fusarium Ear and Kernel Rot (Fusarium moniliforme)

Gibberella Stalk Rot (Gibberella zeae)

Diplodia Ear Rot (Stenocarpella maydis)

Gibberella Ear Rot (Gibberella zeae)

Other (Specify) -----

Other (Specify) -

Standard Variety Data

<u>3</u>

| COMMENTS (eg. state how heat units were calculated, data was collected. Continue in Exhibit D): | standard inbred seed source, | and/or where |
|---|------------------------------|--------------|

0 RFLP's

Application Variety Data

1 Isozymes

Page 4

Standard Variety Data

0 RAPD's

CLARIFICATION OF DATA IN EXHIBITS B AND C

Please note the data presented in Exhibit C, "Objective Description of Variety," are collected primarily at Johnston and Ankeny, Iowa. The data in Exhibit B are from comparisons of inbreds grown in the same tests in the adapted growing area of PH3P0 and in Johnston and Ankeny, Iowa. The data in Tables 1A and 1B are from paired comparisons collected in Johnston and Ankeny, Iowa. The data in Table 2 are from paired comparisons grown primarily in the adapted growing area of PH3P0. These traits collectively show distinct differences between the two varieties.

JMS 8/16/01 The data collected in exhibit C were collected in 1997 and 1998 for page 1 and 2. There are environmental factors that differ from year to year and environment to environment. The environments had different planting dates within each year. Environmental temperature and precipitation differences during the vegetative and grain fill periods can impact plant and grain traits and be a source of variability. These data are mostly based on 5 plants measured at each location. There often is more variability associated with year to year factors than from location to location or within locations. Please see Table 3 for average temperature and rainfall information in 1997 and 1998. Some of the variability may also be attributed to Stewart's Wilt disease at some locations.

Table 3. Temperature and Rainfall

TEMPERATURE

| YEAR | MAY | JUN | JULY | AUG | AVERAGE |
|------|------|------|------|------|---------|
| 1994 | 59.8 | 70.7 | 71.9 | 69.0 | 67.9 |
| 1995 | 56.2 | 69.4 | 74.3 | 76.9 | 69.2 |
| 1996 | 56.2 | 69.3 | 71.3 | 70.5 | 66.8 |
| 1997 | 53.5 | 70.6 | 74.1 | 69.6 | 67.0 |
| 1998 | 64.7 | 66.6 | 74.8 | 73.5 | 69.9 |
| 1999 | 60.7 | 69.7 | 78.7 | 70.5 | 69.9 |

RAINFALL

| YEAR | MAY | JUN | JULY | AUG | Total |
|------|------|-------|------|------|-------|
| 1994 | 3.67 | 5.75 | 1.71 | 4.18 | 15.31 |
| 1995 | 5.04 | 4.19 | 2.94 | 2.87 | 15.04 |
| 1996 | 8.47 | 4.35 | 2.51 | 2.14 | 17.47 |
| 1997 | 4.32 | 3.27 | 4.10 | 1.36 | 13.05 |
| 1998 | 6.46 | 11.07 | 5.70 | 4.96 | 28.19 |
| 1999 | 6.46 | 4.54 | 4.45 | 6.55 | 21.85 |

| U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE | The following statements are made in account 1974 (5 U. S. C. 552a) and the Paperwork | |
|---|--|--|
| EXHIBIT E STATEMENT OF THE BASIS OF OWNERSHIP | Application is required in order to determ certificate is to be issued (7 U.S.C. 2421). until certificate is issued (7 U.S.C. 2426). | |
| 1. NAME OF APPLICANT(S) | 2. TEMPORARY DESIGNATION | 3. VARIETY NAME |
| PIONEER HI-BRED INTERNATIONAL, INC. | OR EXPERIMENTAL NUMBER | РНЗРО |
| 4 .ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country) | 5. TELEPHONE (include area code) | 6. FAX (include area code) |
| 7301 NW 62 nd AVENUE | 515-270-4051 | 515-253-2125 |
| P.O.BOX 85 JOHNSTON, IA 50131-0085 | 7. PVPO NUMBER | 9900381 |
| | | |
| 9. Is the applicant (individual or company) a U.S. national or U.S. based company | y? ⊠ YES □ NO | |
| If no, give name of country 10. Is the applicant the original owner? ☑ YES □ NO If no, p. | lease answer one of the following: | |
| a. If original rights to variety were owned by individual(s), is(are) the original rights to variety were owned by individual(s), is(are) the original rights to variety were owned by individual(s), is(are) the original rights to variety were owned by individual(s), is(are) the original rights to variety were owned by individual(s), is(are) the original rights to variety were owned by individual(s), is(are) the original rights to variety were owned by individual(s), is(are) the original rights to variety were owned by individual(s), is(are) the original rights to variety were owned by individual(s), is(are) the original rights to variety were owned by individual(s), is(are) the original rights to variety were owned by individual(s), is(are) the original rights to variety were owned by individual(s), is(are) the original rights to variety were owned by individual(s), is(are) the original rights to variety were owned by individual(s), is(are) the original rights to variety were owned by individual(s), is(are) the original rights to variety were owned by individual(s). | | |
| ☐ YES ☐ NO if no, give name of country | nai omiorio, a oto: nailonai(o). | |
| b. If original rights to variety were owned by a company(ies), is(are) the origin ☑ YES ☐ NO If no, give name of country | nal owner(s) a U.S. based company? | |
| 11. Additional explanation on ownership (if needed, use reverse for extra space): | | · |
| PH3P0 is owned by Pioneer Hi-Bred International, Inc. | | |
| TV N 4 OD NOTE | | |
| PLEASE NOTE: | | |
| Plant variety protection can be afforded only to owners (not licensees) who meet one of the | - | |
| If the rights to the variety are owned by the original breeder, that person must be a Which affords similar protection to nationals of the U.S. for the same genus and specific | | ountry, or national of a country |
| 2. If the rights to the variety are owned by the company which employed the original becountry, or owned by national of a country which affords similar protection to nation | | |
| 3. If the applicant is an owner who is not the original owner, both the original owner a | and the applicant must meet one of the above c | riteria. |
| The original breeder/owner may be the individual or company who directed final breedin | g. See section 41(a)(2) of the Plant Variety Pr | rotection Act for definition. |
| According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of in information collection is 0581-0055. The time required to compete this information collection is estimat existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection. | ted to average 10 minutes per response, including the ti | The valid OMB control number for this ime for reviewing instructions, searching |
| The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, co prohibited bases apply to all programs). Persons with disabilities who require alternative means for communication and TDD). | lor, national origin, sex, religion, age, disability, political bunication of program information (braille, large print, audi | eliefs, and marital or familial status (Not all otape, etc.) should contact USDA's TARGET |
| To file a complaint, write Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. opportunity employer. | 20250, or call 1-800-245-6340 (voice) or (202) 720-1 | 1127 (TDD) USDA is an equal employment |

STD-470-E (07-97) (Destroy previous editions). Electronic version designed using WordPerfect In Forms by USDA-AMS-IMB